

APPLICATION NO.

10/628,636

Michael S. Slavin

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

ATTORNEY DOCKET NO. CONFIRMATION NO.

1251.165 4894

EXAMINER

7590 02/21/2006

FILING DATE

07/25/2003

02/21/2006

CASTELLANO, STEPHEN J

McHale & Slavin, P.A. 2855 PGA Blvd. Palm Beach Gardens, FL 33410

PAPER NUMBER

ART UNIT

DATE MAILED: 02/21/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

FIRST NAMED INVENTOR

Jed Richardson

- 4	٠.	
•	1	
L	_	
τ		

## SUPPLEMENTAL Notice of Allowability

Application No.	Applicant(s)		
10/628,636	RICHARDSON ET AL.	RICHARDSON ET AL.	
Examiner	Art Unit		
Stephen J. Castellano	3727		

	Stephen J. Castellano	3727			
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication IGHTS. This application is subject to	olication. If not include will be mailed in due	ed course. <b>THIS</b>		
1. This communication is responsive to					
2. The allowed claim(s) is/are <u>1-4, 6 and 9-21</u> .					
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) All b) Some* c) None of the:  1. Certified copies of the priority documents have been received.  2. Certified copies of the priority documents have been received in Application No.  3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.  5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.  (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached  1) hereto or 2) to Paper No./Mail Date  (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).  6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.					
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	6. Interview Summary	<ul> <li>5. ☐ Notice of Informal Patent Application (PTO-152)</li> <li>6. ☐ Interview Summary (PTO-413),     Paper No./Mail Date</li> <li>7. ☒ Examiner's Amendment/Comment</li> </ul>			
Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8.  Examiner's Stateme	Stephen Castellar Primary Examine	<b>)</b>		

Application/Control Number: 10/628,636

Art Unit: 3727

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. William Cuchlinski on February 15, 2006.

The application has been amended as follows:

Claim 10, line 2, "wherein said" has been changed to -- further including --,

line 4, "at least one of said" has been deleted.

Claim 11, line 8, "said" has been deleted.

Claim 14, lines 1 and 2, "wherein said" has been changed to -- further including --,

line 4, "at least one of said" has been deleted.

In the specification, page 13, after line 22, the following paragraph has been added:

-- The lowermost interlocking post on each edge of the left and right panels are feet. The lowermost interlocking socket on each edge of the front and back panels are feet. --

The following changes to the drawings have been approved by the examiner and agreed upon by applicant: Fig. 2 will be revised such that a block stating "bottom surface includes integrally formed cross-bracing" is added and an arrow will point to the bottom surface of floor panel 100. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

Art Unit: 3727

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen J. Castellano whose telephone number is 571-272-4535. The examiner can normally be reached on Tu-F 6:30-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nathan J. Newhouse can be reached on 571-272-4544. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Stephen J. Castellano Primary Examiner Art Unit 3727